	D.1.12 Daily	(Other		
VISIBLE EMISSION NOTATION Inspector: Smello Date of Inspection: May Shift: Tst Shift or 2 nd Shift Unit Visible Emission From Shaker Visible Emission From Discharge Conveyor System	Visual Inspection NORMAL or ABNORMAL		Comments	whe expe
			. canorations	that would normally be expe

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

 Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the
- background.

VISIBLE EMISSION NOTATIONS	
Inspector: Kilva Iter	-
Date of Inspection: 5-2-/2	
Shift: 1st Shift or 2nd Shift Time:	Comments
Unit Visual Inspection <u>NOR</u> MAL or <u>ABN</u> ORMAL	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System **Notation** **Notatio	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTAT	IONS				
Inspector: Sme/KO					
Date of Inspection: 5-3-1	<u></u>				
Shift: 1st Shift or 2nd Shi	16	me:5,00	Comments	;;	
unit.	Visual Inspection <u>NOR</u> MAL or				
Visible Emission From Shaker	OF ABNORMAL	-1-Engericonanto			
Visible Emission From Discharge Conveyor System	noR	- All Proposition Control of the Con			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to

VISIBLE EMISSION NOTATIONS		
Inspector: 5me/Fo		
Date of Inspection: 5-14-/2	·	
Shift: (1 ⁸¹ Shift) or 2 nd Shift	Time: 5 00 AM Comments	
Unite Visi Inspec North Or ABNO	ial in the state of the state o	·:
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		,

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	
Inspector:	
Date of Inspection:	
	me: (2 17.00 Comments
Unit Visual Inspection NORMAL Or ABNORMAL	Comments
VIsible Emission From Shaker	ingground
Visible Emission From Discharge Conveyor System NOL	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	· 7
Inspector: Ted Compton	
Date of Inspection:	·
Shift: 1st Shift or 2nd Shift Time: 500 Am	Comments
Visual Inspection <u>NOR</u> MAL Or	Comments
Visible Emission From Shaker \[\sum_{O} \sum_{O} \]	
Visible Emission From Discharge Conveyor System	

• Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS		ı	
Inspector: Type			
Date of Inspection: U 5/6/12			
Shift: (1 st Shift or 2 nd Shift Ti	me: (a) 7:00		
Umit Visual Inspection <u>Nor</u> MAL or <u>ABN</u> ORMAL		Comments	
Visible Emission From Shaker			
Visible Emission From Discharge Conveyor System			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS Inspector: Smells	
Date of Inspection: May 7,12	·
Shift: 1 ^{ot} Shift or 2 nd Shift	Time: 500 PM
Units Visual Inspection MGRMA or ABNORM	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	7
Inspector: R. Welter	_
Date of Inspection: 5-8-/2	
Shift: 2 nd Shift or 2 nd Shift Time:	Comments
Visual Inspection <u>NORMAL</u> or ABNORMAL	
Visible Emission From Shaker Nor	
Visible Emission From Discharge Conveyor System **Notation Prom	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS Inspector:	S			
Date of Inspection: May 9	,12			
Shift: 1 st Shift or 2 nd Shift	Time:	5,00	Comments	
In N	Visual spection VORMAL or 3NORMAL		Comments	 1 j
Violble Emission From Shaker	0R -			
Visible Emission From Discharge Conveyor System	or -	1000		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.



		(Ctare)		•	
•					
VISIBLE EMISSION NOTATI	ONS				
VISIBLE EMISSION NO 1743			ч		
Inspector: Smello			•		
Date of Inspection:	n' 12				
- P.C 01.26	Time:	100			
Shift: (1st Shift) or 2nd Shift	V	7.00	Comments		
The state of the s	Visual Inspection				
	Inspection				
	NORMAL		and the second of the second o		
	or ABNORMAL			_	
Shaker	ABRONNAL	tore			
Visible Emission From Shaker	NOK				
	0 -	ggara			
Visible Emission From Discharge Conveyor System	I nok 1				•
Discharge Conveyor Cy					
			•		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to

VISIBLE EMISSION NOTATIONS	
Inspector: Smelko	
Date of Inspection: May	
Shift: T Shift of 2 Shift	me: 5.00 Comments
Visual Inspection NORMAL Or	
Visible Emission From Shaker NOR	,
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS		1	
Inspector: 3mello			**	
Date of Inspection:	12,2012			
Shift: 1 st Shift or 2 nd Sh		ne: 5 100 Am	Comments	
	Visual Inspection <u>NOR</u> MAL or			
Visible Emission From Shaker	ABNORMAL NO /2			
Visible Emission From Discharge Conveyor System	non			

• Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS		
Inspector: Stagner		
Date of Inspection:		
Shift: (1 st Shift) or 2 nd Shift	Time: SPM	
Unit Vi Insp N©I	action (MAL)	Comments
Visible Emission From Shaker	Z common	
Visible Emission From Discharge Conveyor System) -	

 Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	7
Inspector: Smelko	"
Date of Inspection: May 14/12	
Shift: 4 st Shift or 2 nd Shift Time: 5	Comments
Junit Visual Inspection <u>NØR</u> MAL or ABNORMAL	
Visible Emission From Shaker NON	
Visible Emission From Discharge Conveyor System NOR	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS			
Inspector:			
Date of Inspection: \$/15/	12		
Shift: 1 st Shift or 2 nd Shift	Time: 5,000		
COMPARISON OF THE VISUAL VISUA	al :: · · · · · · · · · · · · · · · · · ·	Comments	
Inspec	H		
NORW			
ABNOR	ŘMAL	The state of the s	
Visible Emission From Shaker			
/Ve	('		
Visible Emission From			
Discharge Conveyor System /Vo			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS		7	
Inspector: Smell 6			,	
Date of Inspection:	SP-1 May	15,14		
Shift: 1st Shift or 2nd Sh	lft Tin	me: 5200		
Design of the second of the se	Visual Inspection <u>NOR</u> WAL or ABNORMAL		Comments	 ; ;; ; ; ; ;
Visible Emission From Shaker	noR			
Visible Emission From Discharge Conveyor System	noa			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS			1	
Inspector:			,	
Date of Inspection:	5/16/12			
Shift: 1 st Shift or 2 nd Shift	Tlme:	5,000		
THE WAS DON'T WAS A VIOLENCE OF THE VIOLENCE O	isual		Comments	
No.	pection DRMAL or: JORMAL			
Visible Emission From Shaker	OKWAL .			
Visible Emission From Discharge Conveyor System	00			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	
Inspector: Smelko	·
Date of Inspection: May 16 12	
Shift: 1st Shift or 2nd Shift Time: 500 PM	Comments
Visual Inspection NORMAL	
ABNORMAL	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System	

• Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS			•
Inspector:				
Date of Inspection:	5/17/1	N .		
Shift: 1 st Shift or 2 nd Sh	ift Tir	me: 5,00c		
	Visual		Comments	
	Inspection <u>NOR</u> MAL			
	or ABNORMAL			
Visible Emission From Shaker	Noo	Control of the Contro		
Visible Emission From Discharge Conveyor System	Nor			

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

	D , 11.12	(Ctors			
VISIBLE EMISSION NOTATION Inspector: Date of Inspection: Shift: 1 st Shift or 2 ^{nq} Shift Visible Emission From Shaker Visible Emission From Discharge Conveyor System	Time: Visual Inspection NORMAL or	90	Comments		
				•	Ily he expect

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to Cause the greatest emissions.

 Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the
- background.

VISIBLE EMISSION NOTATIONS Inspector:		
Date of Inspection: \$/18	me: 5 00 c~	
Visual Inspection NGRMAL Or		
Visible Emission From Shaker VoC		
Visible Emission From Discharge Conveyor System		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	
Inspector: Smello	•
Date of Inspection:	
Shift: 1st Shift or 2nd Shift Time: 500	Comments
Visual Inspection <u>NGR</u> MAL or ABNORMAL	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTAT	IONS			
Date of Inspection: 5/19	/)2 +> Tlm	a: \$10000		
Shift: 1 st Shift or 2 nd Shift	Visual Inspection	5,000	Comments	: .:
	NORMAL			
Visible Emission From Shaker	ABNORMAL //OC			
Visible Emission From Discharge Conveyor System	Noc			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to

VISIBLE EMISSION NOTAT	TONS		٦		
nspector:	-pton				
Date of Inspection:	2	D			
Shift: 1 st Shift or 2 nd Shi	ft Tin	ne: (70f)			
Professional Calumity	Visual		Comments	•	
	Inspection	And the second s			
	or			•	, ',
PLINE STATE OF THE	ABNORMAL				
Visible Emission From Shaker	Nov	1. (Company of the Associated Section of the			
Visible Emission From		· ·	Nago Apparatus -		
Discharge Conveyor System	Nov	Property and the second			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS Inspector:	3		1	
Date of Inspection:	5/20/12),		
Shift: 1 st Shift or 2 nd Shift	Time:	5'000		
In N	Visual spection <u>©R</u> MAL or: NORMAL		Comments	 : :
Visible Emission From Shaker	60			
Visible Emission From Discharge Conveyor System	Voc			,

• Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS Inspector:]	
Date of Inspection: 'S/a	1/12			
Shift: 1st Shift or Zoo Shift	Tlme: S	51000		
Visual Inspector NORMA Or. ABNORM	in		Comments	
Visible Emission From Shaker	culá)		
Visible Emission From Discharge Conveyor System No(

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	
Inspector: Smel CO	-
Date of Inspection: May 21, 12	·
Shift: 7st Shift or 2nd Shift	Time: 500
Visual Inspection	Comments
NORMAL or ABNORMAL	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS		_	
Inspector:				
Date of Inspection:	5/22	412		
Shift: 1 st Shift or 2 nd Sh	lf) Tin	ne: 5,000		
	Visual Inspection <u>NOR</u> MAL or ABNORMAL		Comments	
Visible Emission From Shaker	Non			
Visible Emission From Discharge Conveyor System	Noc	Construction of the Constr		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTAT	IONS		1	
Inspector: Smello				
Date of Inspection:	22 12		,	
Shift: 7shift or 2nd Shift	ft Tin	ue: 200		
	Visual Inspection <u>NØR</u> MAL or ABNORMAL		Comments	
Visible Emission From Shaker	nor			
Visible Emission From Discharge Conveyor System	nor	·		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

D. I. Im D. C.	
VISIBLE EMISSION NOTATIONS Inspector: Date of Inspection: Shift: Time: Shift: Shi	ect
Discharge that would normally be expe	JUL

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to
- cause the greatest emissions.

 Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

		Dilliam	(
	EMISSION NOTAT	ONS		-			
VISIBLE	<u>= VIISSIOIVII</u>	1 ompton			-		
Inspector:		113					
Date of Ins	spection: 5/24	Time:	1700)	Comr	nents:	•	
Shift: 18	Shift or 2nd Shi	17 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7					, 2.
TOTAL STREET	ALTO THE PROPERTY OF THE PARTY	Visual Inspection			A STATE OF THE STA		
		NORMAL					
	Choker	ABNORMAL	ment to the first financial state of the firs	Section 1			
	Emission From Shaker	1	Contract of the Contract of th				
1 1		100		and the second of the second o			÷
Visible E	Emission From ge Conveyor System	1 Nor 1					
Discharg	ge com-y			•			-uu ha axpec

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the

Ditti-	·
NOTATIONS	
VISIBLE EMISSION NOTATIONS	
Inspector:	
\$/23/16	a monts:
610 Chits	Si, OCC Comments
Visual Visual	
THE PERSON AND THE PROPERTY OF THE PERSON AND THE P	
NORMAL	
or ABNORMAL	
Visible Emission From Shaker VoC	
Visible Ellission	
Visible Emission From Visible Emission System Vol	
Visible Emission From Discharge Conveyor System Not	
Disours	expections that would normally be expec
	and the world the state of the

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to Cause the greatest emissions.

Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the

VISIBLE EMISSION NOTATIONS	
Inspector:	
Date of Inspection:	
Shift: 1st Shift or 2nd Shift Comments	
Visual Inspection NORWAL	
Or ABNORMAL	
Visible Emission From Shaker	
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the

	Dittie	(Otalian)		
VISIBLE EMISSION NOTATIO	NS (22 /1)			
Date of Inspection:	5/2// Time:	5:000	Comments	
Shift: 1 5mm	Visual Inspection			
。	. MORMAL			
Shaker	or: ABNORMAL			
Visible Emission From Shaker	160	The state of the s		
Visible Emission From Discharge Conveyor System	Noc			
			•	ally he expec

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the

VISIBLE EMISSION NOTAT	ONS			
Date of Inspection:	\$/28/17 Time:	\$100m		
Shift: 1 st Shift or 2 nd Shift	Visual Inspection	3,000	Comments	
[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	NORMAL			
Visible Emission From Shaker	ABNORMAL	Commence of the Commence of th		
Visible Emission From Discharge Conveyor System	Hor			

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to

VISIBLE EMISSION NOTATION	NS		1	
Inspector:			-	
Date of Inspection: May 25	12			
Shift: 15 Shift or 2 ^{hd} Shift	Tlm	16: 200	Comments	
	Visual Inspection NORMAL or			
Visible Emission From Shaker	ABNORMAL			
Visible Emission From Discharge Conveyor System	n08_	equinor.		

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS Inspector:	•
Date of Inspection:	
Shift: 1 st Shift or 2 nd Shift Time: Visual Inspection NORMAL Or Visible Emission From Shaker Visible Emission From	Comments
Discharge Conveyor System No	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTATIONS	
Inspector: Rick P	•
Date of Inspection:	·
Shift: 1st Shift or grad Shift) Time: 51000	
Umit Visual Inspection NGRWAL Or ABNORMAL	Comments
Visible Emission From Shaker Non	
Visible Emission From Discharge Conveyor System	

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS				
Date of Inspection: May 31	, The				
Shift: 1 st Shift or 2 nd Sh	Visual	ue: 2,00	Comments		·
	Inspection N©RMAL or ABNORMAL				
Visible Emission From Shaker	MOR-				
Visible Emission From Discharge Conveyor System	nor				

Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.

VISIBLE EMISSION NOTA	TIONS		7		
Inspector: Smello	<u> </u>				
Date of Inspection: May	31,12				
Shift: for Shift or 2nd Sh	lft Tir	ne: 5100			
A PROPERTY OF THE PROPERTY OF	Visual Inspection <u>NØR</u> WAL or ABNORMAL		Comments	 · · · · · · · · · · · · · · · · · · ·	1 4
Visible Emission From Shaker	nog				
Visible Emission From Discharge Conveyor System	NOR				

• Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.